

## Product datasheet

LB-2730

**LED bulb light 2 W | 3000 K**

- Placement in office and residential spaces
- Energy efficiency
- High lumenation



## General information

• Model	LB-2730
• LED chip	EPISTAR
• Body material	Plastic
• Environment	Indoor lighting
• Placement	Residential spaces and offices
• Product color	White
• IP Protection Rate	IP20
• Weight	0,005 kg

## Electrical Specifications

• Power Consumption	2 W
• Input Voltage	AC 176 - 265 V / 50 - 60 Hz
• Dimmable Function	No
• Bulb base	G9

## Lighting Specifications

- |                            |                      |
|----------------------------|----------------------|
| • Luminous flux            | 200 lm               |
| • Luminous efficiency      | 100 lm / W           |
| • Color of the light       | Warm white           |
| • CCT                      | 3000 K               |
| • Color Render Index (CRI) | > 80                 |
| • Beam Angle               | 360 °                |
| • Life Span                | 25 000 working hours |

## Packing Information

- |                      |                 |
|----------------------|-----------------|
| • Package dimensions | 20 x 60 x 20 mm |
| • Gross Weight       | 0,008 kg        |
| • Transport package  | 100 pieces      |

## Dimensions

- |                      |              |
|----------------------|--------------|
| • Product dimensions | Ø 15 x 50 mm |
|----------------------|--------------|