

Product datasheet

LB-2407

LED bulb light 5 W | 4000 K

- Placement in office and residential spaces
- Energy efficiency
- High lumenation



General information

• Model	LB-2407
• LED chip	EPISTAR
• Body material	Plastic
• Environment	Indoor lighting
• Placement	Residential spaces and offices
• Product color	White
• IP Protection Rate	IP40
• Weight	0,025 kg
• Shape	A3

Electrical Specifications

• Power Consumption	5 W
• Input Voltage	AC 150 - 300 V / 50 - 60 Hz
• Dimmable Function	No
• Bulb base	GU10

Lighting Specifications

- | | |
|----------------------------|----------------------|
| • Luminous flux | 500 lm |
| • Luminous efficiency | 100 lm / W |
| • Color of the light | Neutral white |
| • CCT | 4000 K |
| • Color Render Index (CRI) | > 80 |
| • Beam Angle | 120 ° |
| • Life Span | 25 000 working hours |

Packing Information

- | | |
|----------------------|-----------------|
| • Package dimensions | 48 x 60 x 48 mm |
| • Gross Weight | 0,035 kg |
| • Transport package | 100 pieces |

Dimensions

- | | |
|----------------------|--------------|
| • Product dimensions | Ø 47 x 55 mm |
|----------------------|--------------|