

Product datasheet

BLX-6244

LED bulb light 7 W | 4000 K

- Placement in office and residential spaces
- Energy efficiency
- High lumenation



General information

| | |
|----------------------|--------------------------------|
| • Model | BLX-6244 |
| • LED chip | EPISTAR |
| • Body material | Plastic |
| • Environment | Indoor lighting |
| • Placement | Residential spaces and offices |
| • Product color | White |
| • IP Protection Rate | IP40 |
| • Weight | 0,025 kg |
| • Shape | R50 |

Electrical Specifications

| | |
|---------------------|-----------------------------|
| • Power Consumption | 7 W |
| • Input Voltage | AC 150 - 300 V / 50 - 60 Hz |
| • Dimmable Function | No |
| • Bulb base | E14 |

Lighting Specifications

| | |
|----------------------------|----------------------|
| • Luminous flux | 700 lm |
| • Luminous efficiency | 100 lm / W |
| • Color of the light | Neutral white |
| • CCT | 4000 K |
| • Color Render Index (CRI) | > 80 |
| • Beam Angle | 200 ° |
| • Life Span | 25 000 working hours |

Packing Information

| | |
|----------------------|-------------------|
| • Package dimensions | 115 x 75 x 115 mm |
| • Gross Weight | 0,040 kg |
| • Transport package | 100 pieces |

Dimensions

| | |
|----------------------|--------------|
| • Product dimensions | Ø 50 x 85 mm |
|----------------------|--------------|