

## Product datasheet

LFS-50

**LED flood light with sensor**  
**50 W | 6000 K**

- Indoor and outdoor lighting
- Wide beam angle
- Without flickering
- Usable in all weather conditions



## General information

• Model	LFS-50
• LED chip	San`an
• Body material	Aluminium
• Environment	Indoor and outdoor lighting
• Product color	Black
• Operating Temperature	from - 40 °C to + 50 °C
• Mounting	Surface mounting
• IP Protection Rate	IP65
• Weight	1,010 kg
• Detection distance	8 meters

## Electrical Specifications

• Power Consumption	50 W
• Input Voltage	AC 85 - 265 V / 50 - 60 Hz
• Dimmable Function	No
• Replacing LED	No
• Replacing Power Supply	No

## Lighting Specifications

• Luminous flux	4000 lm
• Luminous efficiency	80 lm / W
• Color of the light	Cold White
• CCT	6000 K
• Color Render Index (CRI)	≥ 80
• Beam Angle	120 °
• Unified Glare Rating (UGR)	≤19
• Life Span	30 000 working hours

## Packing Information

• Package dimensions	275 x 242 x 58 mm
• Gross Weight	1,130 kg
• Transport package	10 pieces

Dimensions

- Product dimensions 260 x 225 x 50 mm

