

Product datasheet

GT-UL103K4

LED street light with pillar
30W | 3000K | 4 m

- PHILIPS LED chip
- Outdoor public lighting
- Aluminium



General informations

- | | |
|----------------------|----------------------|
| • Model | GT-UL103K4 |
| • LED chip | PHILIPS |
| • Material | Aluminium |
| • Environment | Public lighting |
| • Product color | Dark grey |
| • IP protection rate | IP65 |
| • Life span | 30 000 working hours |

Electrical specifications

- | | |
|--------------------------|----------------------------|
| • Power | 30 W |
| • Voltage | AC 85 - 265 V / 50 - 60 Hz |
| • Dimmable function | No |
| • Replacing LED | Yes |
| • Replacing power supply | Yes |

Lighting specifications

- | | |
|-----------------------|------------|
| • FLUX | 4500 lm |
| • Luminous efficiency | 150 lm / W |
| • Color of the light | Warm white |
| • CCT | 3000 K |
| • Beam angle | 180 ° |

Dimensions

- | | |
|------------------------------------|--------------|
| • Pillar height | 4000 mm |
| • Pedestal dimensions | 250 x 250 mm |
| • Distance between the screw holes | 160 x 160 mm |
| • Screw holes dimensions | Ø 18 mm |

