

Product datasheet

WFS-10-CW

LED flood light with sensor 10W | 6500 K

- Indoor and outdoor lighting
- Wide beam angle
- Without flickering
- Usable in all weather conditions



General	intorm	ation
General		auvii

• Model	WFS-10-CW
• LED chip	San`an
Body material	Aluminium
• Environment	Indoor and outdoor lighting
• Product color	White
Operating Temperature	from - 20 °C to + 40 °C
Mounting	Surface mounting
• IP Protection Rate	IP65
• Weight	0,240 kg
Detection distance	10 m / work 10 sec - 10 min (adjustable)

Electrical Specifications

• Power Consumption	10 W
• Inpult Voltage	AC 176 - 265 V / 50 - 60 Hz
Dimmable Function	No
Replacing LED	No
Replacing Power Supply	No

Lighting Specifications

• Luminous flux	850 lm
• Luminous efficiency	85 lm / W
• Color of the light	Cold White
• CCT	6500 K
Color Render Index (CRI)	≥ 80
Beam Angle	100°
• Life Span	30 000 working hours

Packing Information

 Package dimensions 	120 x 160 x 45 mm
Gross Weight	0,280 kg
Transport package	60 pieces

Dimensions

• Product dimensions

108 x 136 x 45 mm

