

Product datasheet

WFS-20-CW

LED flood light with sensor
20 W | 6500 K

- Indoor and outdoor lighting
- Wide beam angle
- Without flickering
- Usable in all weather conditions



General information

• Model	WFS-20-CW
• LED chip	San`an
• Body material	Aluminium
• Environment	Indoor and outdoor lighting
• Product color	White
• Operating Temperature	from - 20 °C to + 40 °C
• Mounting	Surface mounting
• IP Protection Rate	IP65
• Weight	0,325 kg
• Detection distance	10 m / work 10 sec - 10 min (adjustable)

Electrical Specifications

• Power Consumption	20 W
• Input Voltage	AC 176 - 265 V / 50 - 60 Hz
• Dimmable Function	No
• Replacing LED	No
• Replacing Power Supply	No

Lighting Specifications

- | | |
|----------------------------|----------------------|
| • Luminous flux | 1700 lm |
| • Luminous efficiency | 85 lm / W |
| • Color of the light | Cold White |
| • CCT | 6500 K |
| • Color Render Index (CRI) | ≥ 80 |
| • Beam Angle | 100 ° |
| • Life Span | 30 000 working hours |

Packing Information

- | | |
|----------------------|-------------------|
| • Package dimensions | 150 x 180 x 45 mm |
| • Gross Weight | 0,370 kg |
| • Transport package | 40 pieces |

Dimensions

- Product dimensions

143 x 160 x 45 mm

