

## Product datasheet

CX-R01-3NW

**LED panel light 3 W | 4200 K**

- Placement in office and residential spaces
- High RA factor
- High lumenation
- Homogeneous light



## General information

• Model	CX-R01-3NW
• LED chip	EPISTAR
• Body material	Aluminium
• Environment	Indoor lighting
• Product color	White
• Mounting	Recessed
• IP Protection Rate	IP44
• Weight	0,080 kg

## Electrical Specifications

• Power Consumption	3 W
• Input Voltage	AC 85 - 265 V / 50 - 60 Hz
• Dimmable Function	No
• Replacing LED	No
• ReplacingWPower Supply	Yes

## Lighting Specifications

• Luminous flux	300 lm
• Luminous efficiency	100 lm / W
• Color of the light	Neutral white
• CCT	4200 K
• Color Render Index (CRI)	≥ 80
• Beam Angle	120 °
• Unified Glare Rating (UGR)	> 19
• Life Span	30 000 working hours

## Packing Information

• Package dimensions	115 x 100 x 40 mm
• Gross Weight	0,125 kg
• Transport package	40 pieces

## Dimensions

- Product dimensions  $\varnothing 82 \times 28 \text{ mm}$
- Installation part dimensions  $\varnothing 75 \times 25 \text{ mm}$

